

Pattern

HAPPY UNI

Jumper with Cable Pattern



Difficulty level:



Needles:



4,5 - 5,0



4,0

Quality:

Happy uni (Gründl)
100 % Polyacrylic (Anti-Pilling)
100 g / 250 m



7 (8) x

Size:

Women's EU size 36/38 [40/42]

Usage:

approx. 700 [800] g in
col. 49 (lime)

Pattern:

Cable pattern: (front and back, amount of sts multiple of 16 + 1 + 2 selvedge sts)

Work according to chart. Only the RS rows are shown in the chart. Work the sts in the WS rows as they appear (k the knit sts and p the purl sts). Work patt between selvedge sts. Beg with the st before the patt rep, then patt rep amount given in instructions and end row with sts after patt rep. Work rows 1-36 once then rows 5 - 36 cont. throughout.

Ribbing: (sleeves, amount of sts multiple of 4 + 3 + 2 selvedge sts)

Work according to chart. Only the RS rows are shown in the chart. Work the sts in the WS rows as they appear. Work patt between selvedge sts. Beg with the st before the patt rep, then patt rep amount given in instructions and end row with sts after patt rep.

Half-Brioche pattern: (Turtleneck, amount of sts multiple of 2)

RS rows: 1 selvedge st, * k1, sl1 p-wise with yo, rep from * to end of row then 1 selvedge st.

WS rows: 1 selvedge st, * k2tog (sl st and yo of previous row), p1, rep from * to end of row then 1 selvedge st.

Rev stockinette st:

RS rows: p all sts

WS rows: k all sts

Slip garter stitch selvedge:

Knit the first st tbl, work to the last st, sl 1 k-wise wyif.

Tension:

30 sts and 26 rows to 10 cm meas over cable patt using size 4,5mm needles or size needed to achieve given tension.

23 sts and 24 rows to 10 cm meas over ribbing
18 sts and 36 rows to 10 cm meas over half-brioche patt

Instructions: (changes for the larger size are given in brackets. If only one number is shown, this applies to both sizes)

Back:

Cast on 163 [175] sts (including 2 selvedge sts) and beg with a WS row work in patt as foll: 1 selvedge st, k2 [8] * p1, k3, rep from * and end row with p1, k2 [8], 1 selvedge st.

Then for both sizes work the cable patt over the centre 161 sts.

Only for size 40/42: p6 at beg of row after selvedge st and p6 at end of row before selvedge st. Work these each 6 sts in rev stockinette st. When work meas total of 57 [60] cm (= 149 [157] rows) work the shoulder shaping. At the beg of the next rows cast off 7 sts 14 [10] times and 8 sts 0 [4] times. Then cast off the remaining 65 [73] sts for the back neck.

Front:

Work as for back but with a deeper neckline starting at 54 [57] cm (= row 141 [149]) cast off centre 25 [29] sts and work both sides separately. Bind off in every alt row along each neckline edge 7 [8] sts once, 5 [6] sts once, 3 sts once and 1 st 5 times. Work the shoulder shaping at 57 [60] cm (= row 149 [157]) AT THE SAME TIME and as given for back.

Sleeves: (work 2 the same)

Cast on 45 [49] sts (including 2 selvedge sts) and beg with a WS row. 1 selvedge st, k1, *p1, k3, rep from * and end row with p1, k1, 1 selvedge st.

Then cont. in ribbing working the side shaping inc 1 st each side in every 6th row 18 [19] times (at beg of row the selvedge st and at the end of the row before the selvedge st M1 tbl (either k or p) working new sts into established patt. (= 81 [87] sts). When work meas total of 46 [48,5] cm (= row 111 [117]) cast off all sts in patt.

Finishing:

Use the mattress st for all seams. To do so, place the edges to be sewn together flat next to each other with the right sides facing. Use a blunt needle and alt sts between pieces inserting the needle under the horizontal bar between the selvedge st and the 2nd st. Then into the corresponding bar on the other piece. Cont alt from side to side and after a few cm of work, tug the thread firmly to close the seam but be careful not to make the seam too tight. The selvedge sts or the cast off edge sts disappear to the inside and you will have a clean, almost invisible seam.

Close one shoulder seam.

For the turtleneck, with right sides facing, pick

up 94 [102] sts evenly along the neck edge.

Row 1: (WS) alt k1, p1 between the selvedge sts. Next row: (RS) work sts between the selvedge sts in half-brioche patt (the right side of the brioche patt is on the inside of the sweater and will be seen when the finished collar is turned out).

Work even in patt for 20 cm then cast off all sts loosely in patt.


Close other shoulder seam and turtleneck. Pay attention to sew the turtleneck so the seam is on the inside when turned back.

Set in sleeves and close side and sleeve seams. Weave in ends.

Abbreviations:


alt= alternate(ing)
approx. = approximate(ly)
beg = begin(ning)
cn = cable needle or cable pin
col = colour(s)
cont = continue (continuously)
dec = decrease
foll = follow(ing)
inc = increase
k = knit
k-wise = knit wise
meas = measure(d)
p = purl
patt = pattern
p-wise = purl wise
rep = repeat
RS = right side
sl = slip
st(s) = stitch(es)
tbl = through back loop
tog = together
wyif = with yarn in front of work
WS = wrong side
yo(s) = yarn over (needle)/ yarn round needle

Schematics (cm):



Charts:

Cable Pattern:



Ribbing:



□ = k1

▢ = p1



= sl 5 sts to cn and hold to front of work, sl 3 st to 2nd cn and hold to back of work, work next 5 sts (as established in patt) k1, p3, k1, then p3 from 2nd cn, and k1, p3, k1 from 1st cn.